APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office MAR 1 6 1977		
	APR 2 6 1977	
	ected application filed	
	MAY 2 0 1977	
мар	filed	
	The applicant Arnold C. Wood	
. .	P.O. Box 238 , of Ely	
	Nev. 89301 hereby make application for permission to appropriate the public	
	State and Zip Code No. ers of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorpora-	
	if a copartnership or association, give names of members.)	
1.	The source of the proposed appropriation is <u>Underground</u> Name of stream, lake or other source.	
2.	The amount of water applied for is 2.15 second-feet One second-foot equals 448.83 gals. per min.	
	(a) If stored in reservoir give number of acre-feetacre-feet	
3.	The water to be used for Irrigation Irrigation, power, mining, manufacturing, domestic. or other use.	
	If use is for:	
	(a) Irrigation (state number of acres to be irrigated) 120	
	(b) Stockwater (state number and kinds of animals to be watered)	
	(c) Other use (describe fully under "No. 12. Remarks")	
	(d) Power:	
	(1) Horsepower developed	
	(2) Point of return of water to stream	
5.	The water is to be diverted from its source at the following point: Being in the SEZSWZ Sec. 19.	
	T. 21N., R. 64E., MDMer. from which the South 1/2 cor. of said Sec. 19. Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land,	
	Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land, bears S. 43° E. 1855¹	
c	it should be stated.	
0.	Place of use Lots 3 & 4. SE\(SE\(SE\) Sec. 19. T.21N., R.64E., MDMer. Describe by legal subdivision, if on unsurveyed land it should be so stated.	
7.	Use will begin about Jan 1 and end about Dec 31, of each year. Day and Month Day and Month	
8.		
	specifications of your diversion or storage works.) 16" cased drilled well 200' deep	
	8" turbine pump 75 HP Elec. motor & sprinkler system State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.	

10.	Estimated time required to construct works 3 yrs.
11.	Estimated time required to complete the application to beneficial use 4 YES.
12.	Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.
	-

Apr Pro	olicant s/ Arnold C. Wood otested 7-28-77; by Marion E. Johnson & Martin T. Magnuson, respectively By
	npared_1p/ga bc/br
	DENIAL OF COLUMN
	<u>DENIAL</u> OF STATE ENGINEER deny
	This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the
follo	owing limitations and conditions:
	Application was denied by verbal ruling of the State Engineer on August 17,
19	83, on the grounds that the applicant has failed to provide the additional
in	formation requested and has failed to show a continued interest in the application
an	d the granting of the application in the absence of this continuing interest and
re	quest for additional information would be detrimental to the public interest and
we	lfare.
	`
The	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and
not	to exceedcubic feet per second
	,
Actı	ual construction work shall begin on or before
Acti Proc	of of commencement of work shall be filed before
Acta Proc Wor	of of commencement of work shall be filed before
Acti Prod Wor	of of completion of work shall be filed before
Acti Prod Wor Prod App	of of commencement of work shall be filed before
Actu Proc Wor Proc App	pal construction work shall begin on or before
Actu Proc Wor Proc App Proc Map	pal construction work shall begin on or before
Actu Proce Wor Proce App Proce Map Com Proce	pal construction work shall begin on or before
Actu Processing App Processing App Processing App Comments App Comment	pal construction work shall begin on or before